

Test Report No. SHAMLP1922504615 Date: 21 Oct 2019 Page 1 of 5

FORMOSA CHEMICALS INDUSTRIES (NINGBO) LIMITED COMPANY FPG INDUSTRIAL ZONE, XIAPU, BEILUN, NINGBO, CHINA

The following sample(s) was/were submitted and identified on behalf of the clients as: Polystyrene

SGS Job No.: SHIN1910072065PC - SH

Product Specification: HP825N

Date of Sample Received: 14 Oct 2019

Testing Period: 14 Oct 2019 - 21 Oct 2019

Test Requested: Selected test(s) as requested by client.

Test Method : Please refer to next page(s).

Test Results: Please refer to next page(s).

Signed for and on behalf of SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.

Lilac Wei

Approved Signatory

Citame



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention:To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

3rdBuilding,No.889 Yishan Road Xuhui District,Shanghai China 200233 中国 • 上海 • 徐汇区宜山路889号3号楼 邮编: 200233 

Test Report Date: 21 Oct 2019 Page 2 of 5 No. SHAMLP1922504615

Test Results:

Test Part Description:

Specimen No. SGS Sample ID Description

SHA19-225046.008 SN₁ White plastic particles

Remarks:

(1) 1 mg/kg = 0.0001%

(2) MDL = Method Detection Limit

(3) ND = Not Detected (< MDL)

(4) "-" = Not Regulated

RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU

Test Method: With reference to IEC 62321-4:2013+AMD1:2017, IEC62321-5:2013, IEC62321-7-2:2017, IEC 62321-6:2015 and IEC62321-8:2017, analyzed by ICP-OES, UV-Vis and GC-MS.

Test Item(s)	<u>Limit</u>	<u>Unit</u>	<u>MDL</u>	<u>008</u>
Cadmium (Cd)	100	mg/kg	2	ND
Lead (Pb)	1000	mg/kg	2	ND
Mercury (Hg)	1000	mg/kg	2	ND
Hexavalent Chromium (Cr(VI))	1000	mg/kg	8	ND
Sum of PBBs	1000	mg/kg	-	ND
Monobromobiphenyl	-	mg/kg	5	ND
Dibromobiphenyl	-	mg/kg	5	ND
Tribromobiphenyl	-	mg/kg	5	ND
Tetrabromobiphenyl	-	mg/kg	5	ND
Pentabromobiphenyl	-	mg/kg	5	ND
Hexabromobiphenyl	-	mg/kg	5	ND
Heptabromobiphenyl	-	mg/kg	5	ND
Octabromobiphenyl	-	mg/kg	5	ND
Nonabromobiphenyl	-	mg/kg	5	ND
Decabromobiphenyl	-	mg/kg	5	ND
Sum of PBDEs	1000	mg/kg	-	ND
Monobromodiphenyl ether	-	mg/kg	5	ND
Dibromodiphenyl ether	-	mg/kg	5	ND
Tribromodiphenyl ether	-	mg/kg	5	ND
Tetrabromodiphenyl ether	-	mg/kg	5	ND



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms

ion report & certificate, please contact us at telephone: (86-755) 8307 1443,

3rd Building, No. 889 Yishan Road Xuhui District, Shanghai China 200233 中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 t E&E (86-21) 61402553 f E&E (86-21)64953679 www.sgsgroup.com.cn t HL (86-21) 61402594 f HL (86-21) 61156899



Test Report	No. SHAMLP1922504615		Date: 21 Oct 2019		Page 3 of 5
Test Item(s)	<u>Limit</u>	<u>Unit</u>	<u>MDL</u>	<u>008</u>	
Pentabromodiphenyl ether	-	mg/kg	5	ND	
Hexabromodiphenyl ether	-	mg/kg	5	ND	
Heptabromodiphenyl ether	-	mg/kg	5	ND	
Octabromodiphenyl ether	-	mg/kg	5	ND	
Nonabromodiphenyl ether	-	mg/kg	5	ND	
Decabromodiphenyl ether	-	mg/kg	5	ND	
Di-butyl Phthalate (DBP)	1000	mg/kg	50	ND	
Benzyl Butyl Phthalate (BBP)	1000	mg/kg	50	ND	
Di-2-Ethyl Hexyl Phthalate (DEHP)	1000	mg/kg	50	ND	
Diisobutyl Phthalates (DIBP)	1000	mg/kg	50	ND	

Notes:

- (1) The maximum permissible limit is quoted from RoHS Directive (EU) 2015/863. IEC 62321 series is equivalent to EN 62321 series https://www.cenelec.eu/dyn/www/f?p=104:30:1742232870351101::::FSP_ORG_ID,FSP_LANG_ID: 1258637.25
- (2) The restriction of DEHP, BBP, DBP and DIBP shall apply to medical devices, including in vitro medical devices, and monitoring and control instruments, including industrial monitoring and control instruments, from 22 July 2021.
- (3) The restriction of DEHP, BBP, DBP and DIBP shall not apply to toys which are already subject to the restriction of DEHP, BBP, DBP and DIBP through entry 51 of Annex XVII to Regulation (EC) No 1907/2006.

Polycyclic aromatic hydrocarbons (PAHs)

Test Method: With reference to AfPS GS 2014:01 PAK, analysis was performed by GC-MS.

Test Item(s)	<u>Unit</u>	<u>MDL</u>	<u>800</u>
Benzo(a)pyrene(BaP)	mg/kg	0.1	ND
Benzo(e)pyrene(BeP)	mg/kg	0.1	ND
Benzo(a)anthracene(BaA)	mg/kg	0.1	ND
Benzo(b)fluoranthene(BbF)	mg/kg	0.1	ND
Benzo(j)fluoranthene(BjF)	mg/kg	0.1	ND
Benzo(k)fluoranthene(BkF)	mg/kg	0.1	ND
Chrysene(CHR)	mg/kg	0.1	ND
Dibenzo(a,h)anthracene(DBA)	mg/kg	0.1	ND
Benzo(g,h,i)perylene(BPE)	mg/kg	0.1	ND
Indeno(1,2,3-c,d)pyrene(IPY)	mg/kg	0.1	ND
Acenaphthylene(ANY)	mg/kg	0.1	ND



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

**Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 (1443, Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 (1443, Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 (1443, 1443, 1443).

Attention: 10 check the authenticity of testing inspection report a certificate, please contact us at telephone: (86-75) 8307 144
13" Building No.889 Yishan Road Xuhui District, Shanghai China 200233 tE&E (86-21) 61402553 fE&E (86-21) 64953679 www.sgsgroup.com.

中国 • 上海 • 徐汇区宜山路889号3号楼 邮编: 200233



Sum of 18 PAHs

Test Report	No. SHAMLP1922504615	Date: 21 Oct 2019	Page 4	of 5
Test Item(s)		<u>Unit</u>	<u>MDL</u>	<u>800</u>
Acenaphthene(ANA)		mg/kg	0.1	ND
Fluorene(FLU)		mg/kg	0.1	ND
Phenanthrene(PHE)		mg/kg	0.1	ND
Pyrene(PYR)		mg/kg	0.1	ND
Anthracene(ANT)		mg/kg	0.1	ND
Fluoranthene(FLT)		mg/kg	0.1	ND
Sum of Acenaphthylene, Acenap	ohthene, Fluorene, Phenanthrene, Pyrene	e, mg/kg	-	ND
Anthracene, Fluoranthene				
Naphthalene(NAP)		mg/kg	0.1	ND

AfPS (German commission for Product Safety): GS PAHs requirements

AIT'S (German commission for Froduct Safety 7: GS PARIS requirements						
Parameter	Category 1	Catego	ory 2	Category 3		
	Material intended to be put in the mouth or toys with intended skin contact (longer than 30 s).	Materials not falling under category 1 with foreseeable contact to skin for longer than 30 s (long-term skin) or frequent contact.		Materials not falling under category 1 or 2 with foreseeable contact to skin for less than 30 s (short-term skin contact).		
		Toy under 2009/48/EC	Other products under ProdSG	Toy under 2009/48/EC	Other products under ProdSG	
Benzo(a)pyrene mg/kg	< 0.2	< 0.2	< 0.5	< 0.5	< 1	
Benzo(e)pyrene mg/kg	< 0.2	< 0.2	< 0.5	< 0.5	<1	
Benzo(a)anthracene mg/kg	< 0.2	< 0.2	< 0.5	< 0.5	<1	
Benzo(b)fluoranthene mg/kg	< 0.2	< 0.2	< 0.5	< 0.5	<1	
Benzo(j)fluoranthene mg/kg	< 0.2	< 0.2	< 0.5	< 0.5	< 1	
Benzo(k)fluoranthene mg/kg	< 0.2	< 0.2	< 0.5	< 0.5	<1	
Chrysene mg/kg	< 0.2	< 0.2	< 0.5	< 0.5	< 1	
Dibenzo(a,h)anthracene mg/kg	< 0.2	< 0.2	< 0.5	< 0.5	<1	
Benzo(g,h,i)perylene mg/kg	< 0.2	< 0.2	< 0.5	< 0.5	<1	
Indeno(I,2,3-cd)pyrene mg/kg	< 0.2	< 0.2	< 0.5	< 0.5	<1	
Acenaphthylene, Acenaphthene, fluorene,phenanthrene, pyrene, anthracene, fluoranthene, mg/kg	< 1 Sum	< 5 Sum	< 10 Sum	< 20 Sum	< 50 Sum	
Naphthalene, mg/kg	< 1	< 2		< 10		
Sum of 18 PAHs	<1	< 5	< 10	< 20	< 50	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

**Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

) tested . :tion report & certificate, please contact us at telephone: (86-755) 8307 1443,

3rdBuilding,No.889 Yishan Road Xuhui District,Shanghai China 200233 中国・上海・徐汇区宜山路889号3号楼 邮编: 200233 t E&E (86-21) 61402553 f E&E (86-21)64953679 www.sgsgroup.com.cn t HL (86-21) 61402594 f HL (86-21) 61156899

ND

mg/kg



Test Report

No. SHAMLP1922504615

Page 5 of 5

Date: 21 Oct 2019

Sample photo:



SGS authenticate the photo on original report only

*** End of Report ***



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms