

**Test Report** 

號碼(No.): ETR23104089 頁數(Page): 1 of 10 日期(Date): 19-Jan-2023

台灣化學纖維股份有限公司 (FORMOSA CHEMICALS & FIBRE CORPORATION) 台北市敦化北路201號 (201, TUNG HWA N. ROAD, TAIPEI, TAIWAN)

以下測試樣品係由申請廠商所提供及確認 (The following sample(s) was/were submitted and identified by the applicant

送樣廠商(Sample Submitted By)

台灣化學纖維股份有限公司 (FORMOSA CHEMICALS & FIBRE CORPORATION)

樣品名稱(Sample Name)

POLYPROPYLENE IMPACT COPOLYMER (聚丙烯耐衝擊共聚物)

樣品型號(Style/Item No.)

TAIRIPRO PP B8001, K3004, K3009AN, K3009AU, K3029, K3030, K6615, K7005,

K7009, K7009AH, K7025, K8003, K8003AN, K8009, K8025, K8050, K8065, K8095, K8802, K9010, K9017, K9030, KP03B, T8002

\_\_\_\_\_\_

收件日(Sample Receiving Date)

13-Jan-2023

測試期間(Testing Period)

13-Jan-2023 to 19-Jan-2023

測試需求(Test Requested)

依據客戶指定,參考RoHS 2011/65/EU Annex II及其修訂指令(EU) 2015/863測試 (1)鎘、鉛、汞、六價鉻、多溴聯苯、多溴聯苯醚, DBP, BBP, DEHP, DIBP。 (As specified by client, with reference to RoHS 2011/65/EU Annex II and amending Directive (EU) 2015/863 to determine Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP contents in the submitted sample(s).)

(2) 其他測試項目請見下一頁。 (Please refer to next pages for the other item(s).)

測試結果(Test Results)

請參閱下一頁 (Please refer to following pages.)

論(Conclusion) 結

根據客戶所提供的樣品,其鎘、鉛、汞、六價鉻、多溴聯苯、多溴聯苯醚, DBP, BBP, DEHP, DIBP的測試結果符合RoHS 2011/65/EU Annex II暨其修訂指令(EU) 2015/863之限值要求。 (Based on the performed tests on submitted sample(s), the test results of Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP comply with the limits as set by RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU.)





CODE: 3BDAB2E1



# **Test Report**

號碼(No.): ETR23104089 日期(Date): 19-Jan-2023 頁數(Page): 2 of 10

台灣化學纖維股份有限公司 (FORMOSA CHEMICALS & FIBRE CORPORATION) 台北市敦化北路201號 (201, TUNG HWA N. ROAD, TAIPEI, TAIWAN)

#### 測試部位敘述 (Test Part Description)

No.1 : 白色塑膠粒 (WHITE PLASTIC PELLETS)

#### 測試結果 (Test Results)

測試項目	測試方法	單位	MDL	結果	限值
(Test Items)	(Method)	(Unit)		(Result)	(Limit)
				No.1	
鎘 (Cd) (Cadmium (Cd)) (CAS No.: 7440-43-9)	参考IEC 62321-5: 2013 · 以感應耦合電漿發射 光譜儀分析。(With reference to IEC 62321-5: 2013, analysis was performed by ICP-OES.)	mg/kg	2	n.d.	100
鉛 (Pb) (Lead (Pb)) (CAS No.: 7439-92-1)		mg/kg	2	n.d.	1000
汞 (Hg) (Mercury (Hg)) (CAS No.: 7439-97-6)	參考IEC 62321-4: 2013+ AMD1: 2017‧以感應 耦合電漿發射光譜儀分析。(With reference to IEC 62321-4: 2013+ AMD1: 2017, analysis was performed by ICP-OES.)	mg/kg	2	n.d.	1000
六價鉻 Cr(VI) (Hexavalent Chromium Cr(VI)) (CAS No.: 18540-29-9)	參考IEC 62321-7-2: 2017·以紫外光-可見光分 光光度計分析。(With reference to IEC 62321- 7-2: 2017, analysis was performed by UV- VIS.)	mg/kg	8	n.d.	1000
一溴聯苯 (Monobromobiphenyl)	參考IEC 62321-6: 2015·以氣相層析儀/質譜儀分析。(With reference to IEC 62321-6: 2015, analysis was performed by GC/MS.)	mg/kg	5	n.d.	-
二溴聯苯 (Dibromobiphenyl)		mg/kg	5	n.d.	=-
三溴聯苯 (Tribromobiphenyl)		mg/kg	5	n.d.	=-
四溴聯苯 (Tetrabromobiphenyl)		mg/kg	5	n.d.	=
五溴聯苯 (Pentabromobiphenyl)		mg/kg	5	n.d.	-
六溴聯苯 (Hexabromobiphenyl)		mg/kg	5	n.d.	-
七溴聯苯 (Heptabromobiphenyl)		mg/kg	5	n.d.	-
八溴聯苯 (Octabromobiphenyl)		mg/kg	5	n.d.	-
九溴聯苯 (Nonabromobiphenyl)		mg/kg	5	n.d.	-
十溴聯苯 (Decabromobiphenyl)		mg/kg	5	n.d.	-
多溴聯苯總和 (Sum of PBBs)		mg/kg	ı	n.d.	1000



# **Test Report**

號碼(No.): ETR23104089 日期(Date): 19-Jan-2023 頁數(Page): 3 of 10

台灣化學纖維股份有限公司 (FORMOSA CHEMICALS & FIBRE CORPORATION) 台北市敦化北路201號 (201, TUNG HWA N. ROAD, TAIPEI, TAIWAN)

測試項目	測試方法	單位	MDL	結果	限值
(Test Items)	(Method)	(Unit)		(Result)	(Limit)
				No.1	
一溴聯苯醚 (Monobromodiphenyl ether)		mg/kg	5	n.d.	-
二溴聯苯醚 (Dibromodiphenyl ether)		mg/kg	5	n.d.	-
三溴聯苯醚 (Tribromodiphenyl ether)		mg/kg	5	n.d.	-
四溴聯苯醚 (Tetrabromodiphenyl ether)		mg/kg	5	n.d.	-
五溴聯苯醚 (Pentabromodiphenyl ether)	参考IEC 62321-6: 2015·以氣相層析儀/質譜儀	mg/kg	5	n.d.	-
六溴聯苯醚 (Hexabromodiphenyl ether)	分析。(With reference to IEC 62321-6: 2015,	mg/kg	5	n.d.	-
七溴聯苯醚 (Heptabromodiphenyl ether)	analysis was performed by GC/MS.)	mg/kg	5	n.d.	-
八溴聯苯醚 (Octabromodiphenyl ether)		mg/kg	5	n.d.	-
九溴聯苯醚 (Nonabromodiphenyl ether)		mg/kg	5	n.d.	-
十溴聯苯醚 (Decabromodiphenyl ether)		mg/kg	5	n.d.	-
多溴聯苯醚總和 (Sum of PBDEs)		mg/kg	-	n.d.	1000
鄰苯二甲酸丁苯甲酯 (BBP) (Butyl benzyl phthalate (BBP)) (CAS No.: 85-68-7)	參考IEC 62321-8: 2017 · 以氣相層析儀/質譜儀分析。(With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.)	mg/kg	50	n.d.	1000
鄰苯二甲酸二丁酯 (DBP) (Dibutyl phthalate (DBP)) (CAS No.: 84-74-2)	參考IEC 62321-8: 2017·以氣相層析儀/質譜儀分析。(With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.)	mg/kg	50	n.d.	1000
鄰苯二甲酸二(2-乙基己基)酯 (DEHP) (Di- (2-ethylhexyl) phthalate (DEHP)) (CAS No.: 117-81-7)	參考IEC 62321-8: 2017·以氣相層析儀/質譜儀分析。(With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.)	mg/kg	50	n.d.	1000
鄰苯二甲酸二異丁酯 (DIBP) (Diisobutyl phthalate (DIBP)) (CAS No.: 84-69-5)	參考IEC 62321-8: 2017 · 以氣相層析儀/質譜儀分析。(With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.)	mg/kg	50	n.d.	1000
四溴雙酚-A (TBBP-A) (Tetrabromobisphenol A (TBBP-A)) (CAS No.: 79-94-7)	參考RSTS-E&E-121·以液相層析儀/質譜儀分析。(With reference to RSTS-E&E-121, analysis was performed by LC/MS.)	mg/kg	10	n.d.	-
中鏈氯化石蠟(C14-C17) (MCCP) (Medium Chain Chlorinated Paraffins(C14-C17) (MCCP)) (CAS No.: 85535-85-9)	參考ISO 18219-2: 2021 · 以氣相層析儀/質譜儀分析。(With reference to ISO 18219-2: 2021, analysis was performed by GC/MS.)	mg/kg	50	n.d.	-



**Test Report** 

號碼(No.): ETR23104089 日期(Date): 19-Jan-2023 頁數(Page): 4 of 10

台灣化學纖維股份有限公司 (FORMOSA CHEMICALS & FIBRE CORPORATION) 台北市敦化北路201號 (201, TUNG HWA N. ROAD, TAIPEI, TAIWAN)

#### 備註(Note):

- 1. mg/kg = ppm; 0.1wt% = 0.1% = 1000ppm
- 2. MDL = Method Detection Limit (方法偵測極限值)
- 3. n.d. = Not Detected (未檢出); 小於MDL / Less than MDL
- 4. "-" = Not Regulated (無規格值)
- 5. 除非另有說明,參照ILAC-G8:09/2019,採用簡單二元(w=0)允收規則進行符合性判定;根據此規則,符合性結果之判定係以測試結果與限值做比較。(Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (w=0) stated in ILAC-G8:09/2019. According to this rule, the judgement of conformity is based on the comparing test results with limits.)



## **Test Report**

號碼(No.): ETR23104089 日期(Date): 19-Jan-2023


頁數(Page): 5 of 10

台灣化學纖維股份有限公司 (FORMOSA CHEMICALS & FIBRE CORPORATION) 台北市敦化北路201號 (201, TUNG HWA N. ROAD, TAIPEI, TAIWAN)

#### 重金屬流程圖 / Analytical flow chart of heavy metal

根據以下的流程圖之條件,樣品已完全溶解。(六價鉻測試方法除外)

These samples were dissolved totally by pre-conditioning method according to below flow chart. ( $Cr^{6+}$  test method excluded)






## **Test Report**

號碼(No.): ETR23104089 日期(Date): 19-Jan-2023 頁數(Page): 6 of 10

台灣化學纖維股份有限公司 (FORMOSA CHEMICALS & FIBRE CORPORATION) 台北市敦化北路201號 (201, TUNG HWA N. ROAD, TAIPEI, TAIWAN)

#### 多溴聯苯/多溴聯苯醚分析流程圖 / Analytical flow chart - PBBs/PBDEs






# **Test Report**

號碼(No.): ETR23104089 日期(Date): 19-Jan-2023 頁數(Page): 7 of 10

台灣化學纖維股份有限公司 (FORMOSA CHEMICALS & FIBRE CORPORATION) 台北市敦化北路201號 (201, TUNG HWA N. ROAD, TAIPEI, TAIWAN)

可塑劑分析流程圖 / Analytical flow chart - Phthalate

【測試方法/Test method: IEC 62321-8】






# **Test Report**

號碼(No.): ETR23104089 日期(Date): 19-Jan-2023 頁數(Page): 8 of 10

台灣化學纖維股份有限公司 (FORMOSA CHEMICALS & FIBRE CORPORATION) 台北市敦化北路201號 (201, TUNG HWA N. ROAD, TAIPEI, TAIWAN)

#### 四溴雙酚-A 分析流程圖 / Analytical flow chart - TBBP-A





# **Test Report**


號碼(No.): ETR23104089 日期(Date): 19-Jan-2023 頁數(Page): 9 of 10

台灣化學纖維股份有限公司 (FORMOSA CHEMICALS & FIBRE CORPORATION) 台北市敦化北路201號 (201, TUNG HWA N. ROAD, TAIPEI, TAIWAN)

#### 分析流程圖 / Analytical flow chart

【適用於:多氯聯苯、多氯奈、多氯三聯苯、滅蟻靈、氯化石蠟、DBBT】

\*Apply to: PCBs, PCNs, PCTs, Mirex, Chlorinated Paraffins, DBBT





## **Test Report**

號碼(No.): ETR23104089 日期(Date): 19-Jan-2023 頁數(Page): 10 of 10

台灣化學纖維股份有限公司 (FORMOSA CHEMICALS & FIBRE CORPORATION) 台北市敦化北路201號 (201, TUNG HWA N. ROAD, TAIPEI, TAIWAN)

\* 照片中如有箭頭標示,則表示為實際檢測之樣品/部位. \* (The tested sample / part is marked by an arrow if it's shown on the photo.)

### ETR23104089



\*\* 報告結尾 (End of Report) \*\*